

It appears that you are currently using **Enhanced Tracking Protection**. What are the consequences?

Home / Alzheimer's disease & dementia


Home / Biomedical technology

(J) SEPTEMBER 1, 2023



Blood biomarker shows 'great promise' predicting progression to Alzheimer's disease in at-risk population

by Wayne State University



PET scan of a human brain with Alzheimer's disease. Credit: public domain

Neuroscience researchers at Wayne State University published a review article that confirms the usefulness of neurofilament light (NfL) blood levels to predict the likelihood and rate of progres of neurodegeneration in Alzheimer's disease. The review article, "The Potential of Blood Neurofilament Light as a Marker of Neurodegeneration in Alzheimer's disease," is published in the journal *Brain*.

Blood-based NfL is a minimally invasive and easily accessible biomarker, making it a useful clin biomarker. Youjin Jung and Jessica Damoiseaux, Ph.D., analyzed existing literature to examine association between serum or plasma NfL and structural/functional <u>brain</u> imaging measures of neurodegeneration from MRI or PET imaging.

Though NfL levels also increase in typical aging as a non-specific marker of neuronal damage, t levels, as well as the rate of increase, seen in Alzheimer's dementia are higher. Jung and Damoiseaux concluded that research indicates that high <u>blood levels</u> of NfL reflect the severity atrophy in several overlapping brain regions, especially the medial temporal lobe. Higher serum is also correlated with more severe brain glucose hypometabolism, as well as diminished white matter integrity, in persons on the Alzheimer's continuum.

"The cross-sectional literature indicates that \underline{blood} NfL shows great promise as a monitoring biomarker to indicate the severity of neurodegeneration in Alzheimer's $\underline{disease}$," Damoiseaux sa "It could be especially useful in persons who show Alzheimer's pathology but are at present cognitively unimpaired, or in people who are highly likely to develop Alzheimer's disease due to having the APOE $\epsilon 4$ allele or higher A β load."

Longitudinal studies also consistently found significant relationships between blood NfL and atrophy in brain regions vulnerable to Alzheimer's disease pathology. "We found that an increase blood NfL may precede Alzheimer's disease-related changes in cortical atrophy and may be elevated in the preclinical stages of Alzheimer's disease," Damoiseaux said.

The review of the cross-sectional and longitudinal literature showed that blood NfL levels consistently predicted the severity of atrophy and <u>glucose metabolism</u> in brain areas commonly affected by Alzheimer's pathology.

The work by Jung and Damoiseaux highlights that blood NfL is a useful prognostic marker for predicting the progression of neurodegeneration, as well as being a useful marker to assess the risk that a cognitively unimpaired person with a higher risk for Alzheimer's disease will show abnormal changes in brain structure and function.

Jung warns that there are still knowledge gaps to be filled for the appropriate use of blood NfL is biomarker. "We need more studies on how blood NfL is related to different aspects of neuronal

damage," she said, "and the field should seek to learn more about potential factors that may affect the NfL concentration in the blood."

Jung is a doctoral student in the Behavioral and Cognitive Neuroscience program and a trainee WSU's Institute of Gerontology. Damoiseaux is an associate professor in the Institute of Gerontology and the Department of Psychology.

More information: Youjin Jung et al, The potential of blood neurofilament light as a marker of neurodegeneratic for Alzheimer's disease, *Brain* (2023). DOI: 10.1093/brain/awad267

Journal information: Brain

Provided by Wayne State University

Citation: Blood biomarker shows 'great promise' predicting progression to Alzheimer's disease i at-risk population (2023, September 1) retrieved 6 September 2023 from https://medicalxpress.com/news/2023-09-blood-biomarker-great-alzheimer-disease.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.